

Acoustic Pillar & Corner Absorber

1 Ceiling- & Wall Absorber I Acoustic Elements

Customized Acoustic Solutions

Product





Freestanding



onference and meeting rooms place high demands on room acoustics, especially speech intelligibility. With the **acoustic pillar and corner absorbers**, which are available in heights of 1,200 mm and 2,000 mm, these rooms can be optimised efficiently and in a space-saving manner. The 400 x 400 mm **acoustic pillar**, which can be used flexibly and independently of walls, have their strengths in the frequency range of human speech and thus produce the best acoustic results. The **corner absorbers** with a face width of 320 mm are equipped with a stand and can thus be adjusted in height by up to 400 mm.

A lot of room for individual design is offered by 11 fabric collections in different qualities and weaves. Removable covers facilitate cleaning and care and

thus ensure a long service life.


Acoustic Pillar & Corner Absorber

Efficient and space-saving






Highly sound-absorbing acoustic pillar










Sound absorption level – octave centre frequency (Corner Absorber)

Acoustic Pillar



Sound absorption level – octave centre frequency (Acoustic Pillar)









Impressum

published by Akustik Office Systeme GmbH Lenabergweg 5 D-91626 Schopfloch

> Editor Henrik Behnert, AOS

Graphics / Illustration Sabine Fleischmann, AOS

Photos Damian Tauchert, Berlin for AOS

@2023

Akustik Office Systeme GmbH Lenabergweg 5 91626 Schopfloch Germany

Phone +49 9857 97559-0

Fax +49 9857 97559-29

info@akustik-office-systeme.de

www.akustik-office-systeme.de